


Temprid[®]
SC

INSECTICIDE

IRAC insecticide group code: 3A, 4A

Reg. No. L9853 Act No. 36 of 1947
 Namibian Reg. No. N-AR 1663

A suspension concentrate with contact and systemic action, good knockdown and long lasting residual control. Indoor and outdoor control of American and German cockroaches, flies, ants, carpet beetles, fishmoths, litter beetles, mosquitoes, fleas, ticks, hide and skin beetles, bedbugs, hide and skin larve.

ACTIVE INGREDIENTS:
 Imidacloprid (neonicotinoid) 251 g/l
 Beta-cyfluthrin (pyrethroid) 125 g/l


TEMPRID[®] is a registered trademark of the Bayer Group.
 UN No. 3082

200 ml 84968943C

Ant • Bedbug • Cockroach



HARMFUL



Temprid[®]
SC


Reg. No. L9853 Act No. 36 of 1947
 Namibian Reg. No N-AR 1663

REGISTRATION HOLDER:
 Bayer (Pty) Ltd.
 Reg. No. 1968/011192/07
 P.O. Box 143, ISANDO 1600,
 SOUTH AFRICA
 TEL: (011) 921 5911


TEMPRID[®] is a registered trademark of the Bayer Group.

Batch No.: See container
 Date manufactured: See container

UN No. 3082



HARMFUL



6 005317 001065

84932973D / 1019



DISCLAIMER: ALTHOUGH THIS PRODUCT HAS BEEN EXTENSIVELY TESTED UNDER A LARGE VARIETY OF CONDITIONS, FAILURE THEREOF MAY ENSUE AS A RESULT OF A WIDE RANGE OF REASONS. IF THIS IS SUSPECTED, KINDLY NOTIFY THE REGISTRATION HOLDER.

WARNINGS:

Handle with care.
Poisonous by contact, swallowing or inhalation. Toxic to fish and animals. Toxic to bees. May cause irritation of the skin, eyes, mucous membranes and skin sensitization. Keep out of reach of children, uninformed persons and animals.
Store in a cool place away from food and feedstuffs.
Use of this material in a manner other than in accordance with directions, may injure plants or produce undesirable results.

PRECAUTIONS:

Do not use in the presence of persons with known sensitivity to pyrethroids or neonicotinoids.
In the case of signs of sensitivity, obtain medical advice.
Do not inhale spray mist.
Wear gloves when preparing the spray mixture. Wash clothing if contaminated.
Wash immediately after accidental skin contact with soap and cold water.

1.

Do not eat, drink or smoke whilst applying, mixing or before washing hands and face. Prevent contamination of fish ponds, food, eating utensils and drinking water. Clean applicator thoroughly before re-using with other material. Dispose of wash water where it will not contaminate edible crops or water. Keep animals and children away from spilt material.

Rinse empty container three times with a volume of water equal to 10 % of that of the container. Add the rinsings to the contents of the spray tank before destroying the container. Destroy empty container and do not re-use for any other purpose.

SYMPTOMS OF POISONING:

Excitement, gastrointestinal discomfort, tremor, dizziness, headache, listlessness, nausea and vomiting, epigastric pain, muscular fasciculation of limbs, unconsciousness, convulsions and coma (very high doses).

FIRST AID TREATMENT:

General advice: Move out of dangerous area. If the patient is likely to become unconscious, place and transport in stable sideways position. Remove soiled or soaked clothing immediately.
Skin contact: Wash off thoroughly with plenty of water and soap, if available with polyethyleneglycol 400, subsequently rinse with water. After skin contact: Apply Vitamin E cream or simple toilet milks.

2.

Eye contact: In the case of contact with eyes, rinse thoroughly with plenty of lukewarm water for at least 15 minutes.

Ingestion: Do NOT induce vomiting. Wash out mouth with water. Call a physician immediately.

Inhalation: Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

NOTE TO PHYSICIAN:

Risks:

- This product/preparation contains a pyrethroid.
- Must NOT be confused with organophosphorus compounds! Risk of product entering the lungs on vomiting after ingestion.

Treatment:

- Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.
- There is no antidote.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED.

Temprid[®] SC can be used in indoor and outdoor areas of commercial and industrial premises, offices, store rooms, hospitals, schools, barracks, homes, hotels, restaurants, ships, market places, warehouses, empty silos and stables.

3.

Shake well before measuring

PEST	DOSAGE	REMARKS
Cockroaches (American and German), Fishmoths	Normal conditions: 20 ml / 10 l water High infestation: 40 ml / 10 l water	Thoroughly spray hiding places (e.g. cracks and crevices, behind stoves and sinks, in cupboards, around drains and rubbish bins etc.) and other areas where pests occur with 50 ml spray mixture/m ² . If hiding places are not directly accessible spray a barrier around them. The spray deposit should not be washed off.

4.

PEST	DOSAGE	REMARKS
Ants	Normal conditions: 20 mℓ / 10 ℓ water High infestation: 40 mℓ / 10 ℓ water	OUTDOORS: Apply as a drench into nests or spray directly onto foraging individuals. Repeat when necessary. INDOORS: Apply as a residual spray to surfaces regularly criss-crossed by ants with 50 mℓ spray mixture/m ² . Repeat when necessary.
Bedbugs		Clean all bedding and clothing. Spray hiding areas (e.g. behind pictures, cracks and crevices etc.) and bed frames.
Fleas, Ticks		Clean or vacuum infested areas and dispose off all dust collected. Spray all infested areas, especially where pets sleep, as well as under furniture with 50 mℓ of spray mixture/m ² . Pets should be treated with a suitable flea/tick control product.

5.

PEST	DOSAGE	REMARKS
Flies, Mosquitoes	Normal conditions: 20 mℓ / 10 ℓ water High infestation: 40 mℓ / 10 ℓ water	Spray 50 mℓ of spray mixture/m ² to areas where flying insect pests rest, such as doors, ceilings, girders, the side of animal pens, around windows and surrounding vegetation.
Litter Beetle (lesser mealworm)	Normal conditions: 20 mℓ/10 ℓ water High infestation: 40 mℓ/10 ℓ water	Place the litter in each stable after the stable has been cleaned and disinfected. For best results allow disinfectant to dry before placing the litter into each house. Spray the Temprid SC mixture to deliver 50 mℓ/m ² over the litter area of each house. Rake all spray treatments into the litter.

6.

PEST	DOSAGE	REMARKS
Hide and Skin Beetle, Hide and Skin Larve, Carpet Beetle	Normal conditions: 20 mℓ/10 ℓ water High infestation: 40 mℓ/10 ℓ water	Apply as a coarse spray at the rate of 50 mℓ/m ² paying particular attention to the flesh side of the hides.

7.

For any product enquiry, contact Bayer Environmental Science - 011 921 5911 (office hours 9 am -5pm). For poisoning emergencies only, Griffon Poison Information Centre may also be contacted - 082 446 8946.

© Bayer (Pty.) Ltd. All unauthorized reproduction of this label is forbidden.

www.environmentalscience.bayer.co.za
www.bayer.co.za