



## MAXFORCE PLATIN RB1

Version 3 / ZA  
102000027617

1/10  
Revision Date: 18.11.2019  
Print Date: 16.03.2022

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Trade name MAXFORCE PLATIN RB1  
Product code (UVP) 80915004

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

#### 1.3 Details of the supplier of the safety data sheet

Supplier Bayer (Pty) Ltd.  
27 Wrench Road, P.O. Box 143  
1600 Isando  
South Africa  
Telephone +27 (011) 921 5911  
Telefax +27 (011) 921 5766  
Responsible Department QHSE - Nigel, South Africa  
+27 (011) 365 8675 (during business hours only)

#### 1.4 Emergency telephone no.

Emergency telephone no. +27 (0861) 555 777 (Western Cape Poisons Helpline)  
Global Incident Response Hotline (24h) +1 (760) 476 3964 (Company 3E for Bayer AG, Crop Science Division)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:

- Clothianidin



Signal word: Warning

Hazard statements

RESTRICTED

**MAXFORCE PLATIN RB1**Version 3 / ZA  
102000027617

2/10

Revision Date: 18.11.2019  
Print Date: 16.03.2022

H410	Very toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
EUH208	Contains 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

**Precautionary statements**

P273	Avoid release to the environment.
P391	Collect spillage.
P501	Dispose of contents/container in accordance with local regulation.

**2.3 Other hazards**

No other hazards known.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Chemical nature**Bait (ready for use) (RB)  
Clothianidin 1%**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		REGULATION (EC) No 1272/2008	
Clothianidin	210880-92-5	Acute Tox. 4, H302 Aquatic Chronic 1, H410 Aquatic Acute 1, H400	1
Glycerine	56-81-5 01-2119471987-18-XXXX	Not classified	> 1,0
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	55965-84-9	Acute Tox. 3, H301 Acute Tox. 2, H310 Acute Tox. 2, H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0.00015 – < 0.0015
1,2-Benzisothiazol-3(2H)- one	2634-33-5 01-2120761540-60-xxxx	Acute Tox. 4, H302 Acute Tox. 2, H330 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	> 0,005 – < 0,05
Sucrose	57-50-1 01-2119491293-35-xxxx	Not classified	> 1

**Further information**

Clothianidin	210880-92-5	M-Factor: 10 (acute), 10 (chronic)
reaction mass of 5-chloro-2-	55965-84-9	M-Factor: 100 (acute), 100 (chronic)

**RESTRICTED**

**MAXFORCE PLATIN RB1**Version 3 / ZA  
102000027617

3/10

Revision Date: 18.11.2019  
Print Date: 16.03.2022

methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		
1,2-Benzisothiazol-3(2H)-one	2634-33-5	M-Factor: 1 (acute)

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES****4.1 Description of first aid measures**

<b>General advice</b>	The nature of this product, when contained in commercial packs, makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Skin contact</b>	Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

**4.2 Most important symptoms and effects, both acute and delayed**

**Symptoms** No symptoms known or expected.

**4.3 Indication of any immediate medical attention and special treatment needed**

**Treatment** Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet

**5.2 Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

**5.3 Advice for firefighters**

<b>Special protective equipment for firefighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
<b>Further information</b>	Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.

**RESTRICTED**

**MAXFORCE PLATIN RB1**Version 3 / ZA  
102000027617

4/10

Revision Date: 18.11.2019  
Print Date: 16.03.2022**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. Use personal protective equipment.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water.

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice.

**Hygiene measures** Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and immediately after handling the product. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight. Protect from frost.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** HDPE (high density polyethylene)  
Polypropylene

**7.3 Specific end use(s)** Refer to the label and/or leaflet.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Clothianidin	210880-92-5	2,8 mg/m <sup>3</sup> (TWA)		OES BCS*
Glycerine (Mist.)	56-81-5	10 mg/m <sup>3</sup> (TWA)	1995	ZA REL

**RESTRICTED**



**MAXFORCE PLATIN RB1**

Version 3 / ZA  
102000027617

5/10

Revision Date: 18.11.2019  
Print Date: 16.03.2022

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

**8.2 Exposure controls**

**Respiratory protection**                      Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**                              Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0,4 mm
Directive	Protective gloves complying with EN 374.

**Eye protection**                                Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**                    Wear standard coveralls and Category 3 Type 6 suit.  
If there is a risk of significant exposure, consider a higher protective type suit.  
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

<b>Form</b>	gel
<b>Colour</b>	white to beige
<b>Odour</b>	weak, characteristic
<b>Odour Threshold</b>	No data available
<b>pH</b>	4,7 - 5,2 (1 %) (23 °C) (CIPAC D water (342ppm))
<b>Melting point/range</b>	No data available
<b>Boiling Point</b>	No data available
<b>Flash point</b>	98 - 101 °C No flash point - Determination conducted up to the boiling point.
<b>Flammability</b>	No data available
<b>Auto-ignition temperature</b>	465 °C / 869 °F
<b>Self-accelarating</b>	No data available

**MAXFORCE PLATIN RB1**Version 3 / ZA  
1020000276176/10  
Revision Date: 18.11.2019  
Print Date: 16.03.2022**decomposition temperature (SADT)**

<b>Upper explosion limit</b>	No data available
<b>Lower explosion limit</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Relative vapour density</b>	No data available
<b>Density</b>	ca. 1,10 g/cm <sup>3</sup> (20 °C)
<b>Water solubility</b>	No data available
<b>Partition coefficient: n-octanol/water</b>	Clothianidin: log Pow: 0,9
<b>Viscosity, kinematic</b>	No data available
<b>Oxidizing properties</b>	No oxidizing properties
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute oral toxicity** LD50 (Rat) > 5.000 mg/kg**Acute inhalation toxicity** During intended and foreseen applications, no respirable aerosol is formed.**Acute dermal toxicity** LD50 (Rat) > 5.000 mg/kg**Skin corrosion/irritation** No skin irritation (Rabbit)**Serious eye damage/eye irritation** Slight irritant effect - does not require labelling. (Rabbit)**RESTRICTED**

**MAXFORCE PLATIN RB1**Version 3 / ZA  
102000027617

7/10

Revision Date: 18.11.2019  
Print Date: 16.03.2022

**Respiratory or skin sensitisation** Skin: Non-sensitizing. (Mouse)  
OECD Test Guideline 429, local lymph node assay (LLNA)

**Assessment STOT Specific target organ toxicity – single exposure**

Clothianidin: Based on available data, the classification criteria are not met.

**Assessment STOT Specific target organ toxicity – repeated exposure**

Clothianidin did not cause specific target organ toxicity in experimental animal studies.

**Assessment mutagenicity**

Clothianidin was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Clothianidin was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Clothianidin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Clothianidin is related to parental toxicity.

**Assessment developmental toxicity**

Clothianidin did not cause developmental toxicity in rats.

Clothianidin caused developmental toxicity in rabbits only at dose levels toxic to the dams. The developmental effects seen with Clothianidin are related to maternal toxicity.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) > 104,2 mg/l Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) > 40 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient. EC50 (Chironomus riparius (non-biting midge)) 0,029 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient.
<b>Chronic toxicity to aquatic invertebrates</b>	NOEC (Daphnia (water flea)): 0,12 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient. EC15 (Chironomus riparius (non-biting midge)): 0,00072 mg/l Exposure time: 28 d The value mentioned relates to the active ingredient.
<b>Toxicity to aquatic plants</b>	EC50 (Raphidocelis subcapitata (freshwater green alga)) > 120 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient. EC50 (Lemna gibba (gibbous duckweed)) > 121 mg/l Exposure time: 14 d The value mentioned relates to the active ingredient.

**12.2 Persistence and degradability****RESTRICTED**



**MAXFORCE PLATIN RB1**

Version 3 / ZA  
102000027617

8/10

Revision Date: 18.11.2019  
Print Date: 16.03.2022

**Biodegradability** Clothianidin:  
Not rapidly biodegradable

**Koc** Clothianidin: Koc: 84 - 345

**12.3 Bioaccumulative potential**

**Bioaccumulation** Clothianidin:  
Does not bioaccumulate.

**12.4 Mobility in soil**

**Mobility in soil** Clothianidin: Moderately mobile in soils

**12.5 Results of PBT and vPvB assessment**

**PBT and vPvB assessment** Clothianidin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

**12.6 Other adverse effects**

**Additional ecological information** No other effects to be mentioned.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

**Product** In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

**Contaminated packaging** Not completely emptied packagings should be disposed of as hazardous waste.

**SECTION 14: TRANSPORT INFORMATION**

**SANS 10231**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

**IMDG**

14.1 UN number	<b>3082</b>
14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION)
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>3082</b>
----------------	-------------



**MAXFORCE PLATIN RB1**Version 3 / ZA  
102000027617

9/10

Revision Date: 18.11.2019  
Print Date: 16.03.2022

14.2 Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CLOTHIANIDIN SOLUTION )
14.3 Transport hazard class(es)	9
14.4 Packaging Group	III
14.5 Environm. Hazardous Mark	YES

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Further information**

WHO-classification: U (Unlikely to present acute hazard in normal use)

**SECTION 16: OTHER INFORMATION****Text of the hazard statements mentioned in Section 3**

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %

**RESTRICTED**



**MAXFORCE PLATIN RB1**

Version 3 / ZA  
102000027617

**10/10**  
Revision Date: 18.11.2019  
Print Date: 16.03.2022

IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU) No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.